

Product Structure

产品结构

UVProtect special
maintenance treatment

聚氨酯加强 (UV) 特殊维护处理

Compacted homogeneous
floorcovering

加强型同质透心地板



- High performance flexible homogenous multipurpose flooring
高品质多功能弹性同透地板
- UV special maintenance treatment: Easy of maintenance
聚氨酯加强, 特殊维护处理; 易于维护保养
- Densely compacted surface for improved wear and ease of maintenance
加强型结构提高耐磨性和易于保养
- Incorporates a bacteriosatic and fungistic property
具有抗菌防霉的功能
- Antistatic
抗静电

安装 INSTALLATION

Installation should be carried out in accordance with local standards. subfloor to be smooth, hard, clean and dry prior to laying. where applicable the subfloor must incorporate an effective damp proof membrane. the material must be allowed to acclimatize 24 hours before installation in a room temperature of between 18-24°C.

应按照当地标准进行安装。铺设地板前, 应确保地面平滑、坚硬、清洁和干燥。如有需要, 应在地面上铺设一层有效的防潮薄膜。安装地板前, 应提前24小时将地板材料放置在18-24°C室内适应环境。

维护 MAINTENANCE

An emulsion dressing is required. maintenance should be carried out regularly to retain the appearance durability of the floor. the floorcovering should be maintained with regular sweeping and damp mopping using a neutral cleanset. more intense cleaning should be carried out using a fine spray cleaning pad under a floor machine, or for larger areas combined machine cleaning.

需使用乳液清洁, 定期进行维护以使其保持外观整洁和耐用性, 定期清扫和使用中性清洁剂湿擦来维护地板, 或者使用具有精细喷雾垫的清洗机进行大面积地面的清洗。



Environment friendly
安全环保



Waterproof
防水



Anti-slip
防滑



Easy care
保养方便



Comfortable feet feeling
脚感舒适



Fire retardant
防火




Acoustic
吸音




© WED-1001



© WED-1002



© WED-1003




© WED-1005



© WED-1015



© WED-1016




© WED-1007



© WED-1009



© WED-1011



© WED-1010



© WED-1012



© WED-1013


 Dimension: 2.0mmx2.0m x 20m




© WED-1006



© WED-1008



© WED-1125



© WED-1021



© WED-1017



© WED-1018




© WED-1120



© WED-1118



© WED-1022



© WED-1019



© WED-1020



© WED-1130