

ESD 防静电

100%
25.5%
Recyclable
Recycled content

<10 µg/m³
Optimal Indoor
Air Quality
*TVOC AT 28 DAYS


PHTHALATE
FREE
Technology
100% RECYCLED CONTENT




⚡ ESD-5501



⚡ ESD-5502



⚡ ESD-5503



⚡ ESD-5505



⚡ ESD-5506



⚡ ESD-5507



⚡ ESD-5508



⚡ ESD-5509




⚡ ESD-5510




在如今的科技技术环境中，静电不再仅仅是一个令人烦恼的简单的冲击电波，静电放射不仅会破坏或退化电子元件的敏感性，还会点燃易燃气体，引发非自愿的人体动作或设备失灵。造成重大经济损失。所以如何消解静电成为迫在眉睫要解决的问题，金亿源防静电地板是对上述静电问题的最优解决方案。

In today's technological environment, static electricity is no longer just a simple and annoying shock wave. Static electricity not only damages or degrades the sensitivity of electronic components, but also ignites flammable gases, causing involuntary human movement or device failure. Cause heavy economic losses. So how to eliminate static electricity has become an urgent problem to be solved, JINYIYUAN anti-static floor is the optimal solution to the static electricity problem.


ESD FLOOR 防静电地板结构图



- ① 特殊维护处理(静电控制配方)
- ② 2mm厚同透耐磨层
- ③ 玻纤网格
- ④ 致密背层





⚡ ESD-5511




⚡ ESD-5512


Dimension: 2.0mmx2.0m x 20m




⚡ ESD-5513




⚡ ESD-5515



⚡ ESD-5516




⚡ ESD-5517



⚡ ESD-5518



⚡ ESD-5519



⚡ ESD-5520



⚡ ESD-5521



⚡ ESD-5522